OnceHub Support

Infusionsoft Scheduling buttons

Last Modified on Jun 2, 2023

Infusionsoft Scheduling buttons provide quick access to a record-specific booking page link. Bookings made via this link are automatically added to the Contact and the customer making the booking does not have to provide any information that already exists for this Contact. Infusionsoft scheduling buttons can be used in two ways:

- The Booking page link can be copied and sent to the customer
- The Infusionsoft user can schedule on behalf of the customer

Infusionsoft scheduling buttons can be configured to prepopulate the booking form, or skip it altogether.

In this article, you will learn how to create an Infusionsoft scheduling button and add it to the Contact record in Infusionsoft.

Requirements

To add the button to the Contact in Infusionsoft, you will need:

- Use a Google Chrome browser.
- The permission to add custom JavaScript code to Google Chrome.
- A completed Infusionsoft connector setup in OnceHub.
- A OnceHub User connected to Infusionsoft.

Adding the Infusionsoft Scheduling button to Infusionsoft Contact records

- Download the custom JavaScript extension for Chrome. This tool is used to inject JavaScript code to your website URLs. The script is kept in the local storage and is applied across the Infusionsoft domain URLs. When downloaded, the *cjs* extension is added to your Chrome browser.
- 2. Log in to Infusionsoft.
- In the right hand side of the Google Chrome browser toolbar, click the *cjs* extension. The *Custom JavaScript* window appears.
- 4. Select the Infusionsoft domain in the **Domain** drop-down (Figure 1). Check the **enable** *cjs* **for this host** checkbox.

SinceHub Support

🌾 📕 Dashboard - September 🛛	
	☆ 🔐 🤥 🔅 🖬 🔽 🛆 ojs ☰
est account: 👻 Atlassian 🤇	harks
OTAL CONTACTS »	https://dh170.infusionsoft.com 🔻 enable <i>cjs</i> for this host 🖉
	You can inject your own external scripts or predefined one: jQuery 2.1.0 •
Import List »	<pre>44 45 setInnerHTML(a, a.innerHTML + " "); 46 a.appendChild(b); 47 ▼ } else { 48 a = document.getElementsByClassName('page-header-user')[0]; 49 50 - if (a) {</pre>
% O% CLICKED VIEW REPORT »	<pre>56 * If (a) { 51 var d = document.createElement("div"); 52 var b = document.createElement("button"); 53 var t = document.createElement("td"); 54 55 t.setAttribute("style", "vertical-align:middle;"); 56 b.setAttribute("onClick", "window.open(personalized_booking_; 57 setInnerHTML(b, "Schedule a meeting"); 58 59 d.appendChild(b); 60 t.appendChild(b); 61 a.parentNode.parentNode.appendChild(t); 62 } 63 }</pre>
) \$	save reset donate

Figure 1: Custom JavaScript extension

5. In the code below, replace <booking page link> with your Booking page general link and Schedule a meeting with the label of your choice. For example: *https://go.oncehub.com/JohnSmith?soskip=1&soisContactID=*

Example 1 Support

```
var personalized_booking_page_url = '<Booking page link>?soskip=1&soisContactID=';
var getPathParameter = function getPathParameter(sParam) {
  var sPageURL = decodeURIComponent(window.location.pathname),
    sURLVariables = sPageURL.split('/'),
    i;
  for (i = 0; i < sURLVariables.length; i++) {
    if (sURLVariables[i] === sParam) {
      return sURLVariables[i] === undefined ? true : sURLVariables[i];
    }
  }
};
var getUrlParameter = function getUrlParameter(sParam) {
  var sPageURL = decodeURIComponent(window.location.search.substring(1)),
    sURLVariables = sPageURL.split('&'),
    sParameterName,
    i;
  for (i = 0; i < sURLVariables.length; i++) {
    sParameterName = sURLVariables[i].split('=');
    if (sParameterName[0] === sParam) {
      return sParameterName[1] === undefined ? true : sParameterName[1];
    }
  }
};
function setInnerHTML(element, content) {
  element.innerHTML = content;
  return element:
} // -- Display the 'Schedule a meeting' button when a full record is displayed
if (getPathParameter('Contact') == 'Contact') {
   var a = document.getElementsByClassName('ph link')[0]; if (a) {
      var b = document.createElement("button");
         b.setAttribute("onClick",
        "window.open(personalized_booking_page_url + getUrlParameter('ID'), '_blank');");
         setInnerHTML(b, "Schedule a meeting");
         setInnerHTML(a, a.innerHTML + " ");
         a.appendChild(b);
}
else { a = document.getElementsByClassName('page-header-user')[0];
   if (a) {
      var d = document.createElement("div");
      var b = document.createElement("button");
      var t = document.createElement("td");
      t.setAttribute("style", "vertical-align:middle;");
      b.setAttribute("onClick", "window.open(personalized booking page url + getUrlParameter('ID'), ' blank');");
      setInnerHTML(b, "Schedule a meeting");
      d.appendChild(b);
      t.appendChild(d);
      a.parentNode.parentNode.appendChild(t);
      }
   }
}
```

When your changes are made, copy and paste the code to the Code area of the *cjs* extension.

6. Click Save.

You are done. You can open any Contact record, click the button and make a test booking (Figure 2).

OnceHub Support

	Contacts 🗸	Companies 🗸	Opportunities 🗸	Referral Partne	rs 🖌 🛝
💂 John Stewa	rt (back to sear	ch results)	edule a meeting		
General Address	Additional Infe	o Person Not	tes Custom Fields	Email /	Appointme
General Information					Acc
First Name	John				Amt Bal (
Last Name	Stewart				Dari
Company					Sco
gure 2: Infusionsoft Schedu	ling button				