

System and Custom locales

Last Modified on Oct 1, 2019

A locale is a collection of settings that define the Customer interface language and the date/time formats of your pages. A locale defines every line of text on your Booking pages, including instructions, tooltips, buttons, and more.

You can use System locales provided out of the box or create Custom locales, which allow you to edit Customer interface text. System and Custom locales are managed in the [Localization editor](#), and can be applied to [Booking pages](#) and [Master pages](#).

In this article, you'll learn about the differences between System locales and Custom locales.

In this article:

- [System locales](#)
- [Custom locales](#)
- [Comparison of System and Custom locales](#)

System locales

Every account is created with the following seven **System locales** out-of-the-box:

- English (US)
- English (UK)
- French
- German
- Spanish
- Portuguese (Brazil)
- Dutch

Each System locale comes with its own set of language-appropriate and culture-appropriate Dynamic values which are automatically translated when viewed by the Customer.

Custom locales

You can create **Custom locales** which allow for both date/time format modification and [Customer interface text editing](#). Custom locales are created by duplicating an existing locale.

Custom locales enable you to [modify any Customer interface text](#). All texts are editable and can be found by using the browser search function (Ctrl + F on Windows or ⌘ + F on Mac). Find the string in **English text** in the left column and edit the translation of it in the right column according to the selected locale (Figure 1).

General [Example](#)

Important: Text in double square brackets [[]] is dynamic. It can be moved but should not be modified. [Learn more](#)

English text	Custom locale 1 text
Book Now	<input type="text" value="Book Now"/>
Change	<input type="text" value="Change"/>
Retry	<input type="text" value="Retry"/>
Change selection	<input type="text" value="Change selection"/>
Previous step	<input type="text" value="Previous step"/>
Previous steps	<input type="text" value="Previous steps"/>
Loading...	<input type="text" value="Loading.."/>
Saving...	<input type="text" value="Saving.."/>
Finalizing your booking... Please wait	<input type="text" value="Finalising your booking... Please wait"/>
Sessions	<input type="text" value="Sessions"/>

Figure 1: General section of the Localization editor

Comparison of System and Custom locales

	System locale	Custom locale
<p>Translation of Dynamic values including:</p> <ul style="list-style-type: none"> • Time zones • Countries • States • Locations • Country codes • Months • Days of the week 	<p>Dynamic values will be automatically translated into the selected language when viewed by the Customer. Note: To prevent conflicts, these values are fixed and cannot be edited.</p>	<p>Dynamic values will always reflect the parent locale from which they were duplicated. Note: To prevent conflicts, these values are fixed and cannot be edited.</p>

Date and time format

Each System locale is preconfigured with date/time formats to match the target locale.

The date/time formats will always reflect the parent locale from which they were duplicated.

You can customize these formats if your Customers expect them to be different.

You can customize these formats if your Customers expect them to be different.

Customer interface strings

Screen text, tooltips, button, and links for each part of the Customer scheduling process are automatically translated for each locale. This text cannot be edited.

You can [modify any Customer interface text](#).

To edit any Customer interface text, you will need to [create a Custom locale](#).